

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((jacobson\$-quinn\$) and (chuang\$-Chiao\$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/08 08:46
L2	11	((jacobson\$-quinn\$) or (chuang\$-Chiao\$)).in. and (sun and microsystems).as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/08 08:48
L3	0	((back\$3 same register\$3) same (access\$4 same (privilege\$1 same instruction\$1))).clm.	US-PGPUB	OR	OFF	2007/01/08 08:52
L4	0	((back\$3 with register\$3) same (access\$4 same (privilege\$1 same instruction\$1))).clm.	US-PGPUB	OR	OFF	2007/01/08 08:52
L5	0	((back\$3 with register\$3) same (access\$4 with (privilege\$1 with instruction\$1))).clm.	US-PGPUB	OR	OFF	2007/01/08 08:53
L6	0	((back\$3 same register\$3) and (access\$4 same (privilege\$1 same instruction\$1))).clm.	US-PGPUB	OR	OFF	2007/01/08 08:53
L7	0	((back\$3 with register\$3) same (access\$4 same (privilege\$1 with instruction\$1))).clm.	US-PGPUB	OR	OFF	2007/01/08 08:53
S1	1	(register adj1 cach\$3) near4 ((load or store) adj1 unit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/15 15:07
S2	3	(register adj1 cach\$3) same ((load or store) adj1 unit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/15 15:08
S3	18	((register\$1 adj1 cach\$3) or (back\$3 adj1 register)) same ((load or store) adj1 unit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/15 15:09
S4	1391	(register\$1 adj1 cach\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/15 15:10
S5	698	(register adj1 cach\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/15 15:10

EAST Search History

S6	1	(register adj1 cach\$3) near4 load near4 unit	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/15 15:10
S7	5	(register adj1 cach\$3) near4 (load or store) near4 (unit or process\$3 or execut\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/15 15:11
S8	6	(register adj1 cach\$3) with ((load or store) near4 (unit or process\$3 or execut\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/15 15:13
S9	623	(register adj1 cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/15 15:13
S10	17	(register adj1 cache) near4 (load or store)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/15 15:14
S11	271	(load or store) near4 (unit\$1 or process\$3 or execut\$3) near4 ((output or result or write) near4 cach\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/15 15:15
S12	79	(load or store) near4 (unit\$1) near4 ((output or result or write) near4 cach\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/15 15:22
S13	1268	cache near4 control near4 instruction\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/15 15:22
S14	85	cache adj1 control adj2 instruction\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/15 15:23
S15	61	cache adj1 control adj1 instruction\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/15 15:23
S16	492	(712/225).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/18 08:50
S17	545	(712/227).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/18 08:50

EAST Search History

S18	508	(712/228).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/18 08:50
S19	531	(712/225).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/20 13:53
S20	582	(712/227).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/20 13:53
S21	548	(712/228).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/20 13:53
S22	9	(register near3 cach\$3) near4 (back\$3) near4 (access\$3 or read\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/26 16:30
S23	59	((victim or back?up or ("2" or second) near4 level)) near4 cach\$3) near4 register\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/26 16:34
S24	56	((victim or ("2" or second) near4 level)) near4 cach\$3) near4 register\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/26 16:34
S25	32	(victim near4 cach\$3) near4 register\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 10:08
S26	2	(victim adj1 cach\$3) near4 register\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/26 16:34
S27	0	(victim near4 cach\$3) near4 (random adj1 (access\$3 or read\$3)) near4 register\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/26 16:35
S28	1	(victim near4 cach\$3) near4 (register\$1 near4 file\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 10:08
S29	512	(local near4 register\$1) same (global near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 11:01

EAST Search History

S30	411	(local near4 register\$1) with (global near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 11:01
S31	303	(local near4 register\$1) near4 (global near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 11:01
S32	0	(local near4 register\$1) near4 (global near4 register\$1) near4 (victim adj1 cach\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 11:01
S33	0	((local near4 register\$1) near4 (global near4 register\$1)) with (victim adj1 cach\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 11:01
S34	0	((local near4 register\$1) near4 (global near4 register\$1)) same (victim adj1 cach\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 15:37
S35	0	((local near4 register\$1) near4 (global near4 register\$1)) and (victim adj1 cach\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 11:02
S36	0	((local near4 register\$1) near4 (global near4 register\$1)) near4 (back?up)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 11:02
S37	82	((local near4 register\$1) near4 (global near4 register\$1)) near4 (address\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 11:03
S38	0	((local adj1 register\$1 adj1 file\$1) near4 (global adj1 register\$1 adj1 file\$1)) near4 (address\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 11:03
S39	0	((local adj1 register\$1 adj1 file\$1) near4 (global adj1 register\$1 adj1 file\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 11:03
S40	1	((local adj1 register\$1 adj1 file\$1) with (global adj1 register\$1 adj1 file\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 11:04
S41	4	((local adj1 register\$1 adj1 file\$1) same (global adj1 register\$1 adj1 file\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 11:07

EAST Search History

S42	44	((local adj1 cach\$3) same (global adj1 cach\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 11:11
S43	1	("5,717,893").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 11:11
S44	150	register adj1 file\$1 adj1 cache\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 14:31
S45	1	("5956747").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/27 14:31
S46	546	(712/225).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/12 15:39
S47	590	(712/227).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/12 15:39
S48	574	(712/228).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/12 15:40
S49	44	((local adj1 cach\$3) same (global adj1 cach\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/12 15:41
S50	32	(victim near4 cach\$3) near4 register\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/12 15:41
S51	58	((victim or ("2" or second) near4 level)) near4 cach\$3) near4 register\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/12 15:42
S52	572	(712/225).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 15:37
S53	624	(712/227).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 15:37

EAST Search History

S54	597	(712/228).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 15:37
S55	1580	(shadow\$3 or back\$5) near4 (register\$1 near4 fil\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 15:38
S56	211	(shadow\$3 or back\$5) near4 (register\$1 near4 fil\$3) near4 (instruction\$1 near4 (access\$3 or read\$3 or writ\$3 or us\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 15:41
S57	1	(shadow\$3 or back\$5) near4 (register\$1 near4 fil\$3) near4 (instruction\$1 near4 (access\$3 or read\$3 or writ\$3 or us\$3) near4 direc\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 15:40
S58	1	(shadow\$3 or back\$5) near4 (register\$1 near4 fil\$3) near4 (instruction\$1 near4 access\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 15:41
S59	6	(shadow\$3) near4 (register\$1 near4 fil\$3) near4 (instruction\$1 near4 (access\$3 or read\$3 or writ\$3 or us\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/08 08:51
S60	6	(US-5590308-\$ or US-5510934-\$ or US-6021470-\$ or US-5717893-\$ or US-5838939-\$ or US-6185673-\$). did.	USPAT	OR	OFF	2006/07/07 15:44
S61	608	(712/225).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/07 18:44
S62	660	(712/227).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/07 18:48
S63	643	(712/228).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/07 19:08
S64	0	back\$3 near4 register\$3 near4 access\$4 near4 privilege\$1 near4 instruction\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/07 19:09
S65	0	(back\$3 near4 register\$3) with (access\$4 near4 privilege\$1 near4 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/07 19:09

EAST Search History

S66	0	(back\$3 near4 register\$3) with (access\$4 with (privilege\$1 near4 instruction\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/07 19:09
S67	0	(back\$3 near4 register\$3) with (access\$4 with (privilege\$1 with instruction\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/07 19:10
S68	0	(back\$3 with register\$3) with (access\$4 with (privilege\$1 with instruction\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/07 19:10
S69	9	(back\$3 with register\$3) same (access\$4 with (privilege\$1 with instruction\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/07 19:14
S70	0	((back\$3 with register\$3) same (access\$4 with (privilege\$1 with instruction\$1))).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/08 08:52
S71	0	((back\$3 with register\$3) same (access\$4 same (privilege\$1 with instruction\$1))).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/08 08:52
S72	0	((back\$3 with register\$3) same (access\$4 same (privilege\$1 same instruction\$1))).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/08 08:51
S73	0	((back\$3 same register\$3) same (access\$4 same (privilege\$1 same instruction\$1))).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/08 08:51
S74	1	((back\$3 same register\$3) and (access\$4 same (privilege\$1 same instruction\$1))).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/08 08:52
S75	330	((back\$3 same register\$3) and ((retriev\$4 or read\$4 or provid\$4) same (privilege\$1 same instruction\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/08 08:50
S76	0	((back\$3 with register\$3) same ((retriev\$4 or read\$4 or provid\$4) with (privilege\$1 with instruction\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/07 19:19
S77	0	((shadow\$3 or spill\$3 or overflow\$3) with register\$3) same ((retriev\$4 or read\$4 or provid\$4) with (privilege\$1 with instruction\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/07 19:19